









LANIER WIDE FORMAT PRODUCT LINE CARD

LANIER

Version 1 – 2016

Product Specifications	COLOR	BLACK & WHITE		
				
Model Number	LANIER MP CW2201SP	LANIER MP W7100	LANIER MP W8140	LANIER MP W6700SP
Print Sample				
Environment	AEC/CAD	AEC/CAD	AEC/CAD	AEC/CAD
Dimensions	54.5" x 26.6" x 48"	49.2" x 29.7" x 47"		49.2" x 29.7" x 47"
Weight	265 lbs.	631.4 lbs.	649 lbs.	507 lbs.
Power Source	120 – 127V, 15A, 60Hz	208 – 240V, 15A (max), 60Hz		120V, 20A (max), 60Hz
Print Speed	A1 LEF B&W: 3.8 ppm A1 LEF Color: 1.1 ppm A0 SEF B&W: 1.9 ppm A0 SEF Color: 1.1 ppm	D-Size LEF: 10 ppm E-Size SEF: 5 ppm	D-Size LEF: 14 ppm E-Size SEF: 7 ppm	D-Size LEF: 6.7 ppm E-Size SEF: 3.3 ppm
Resolution	Print: Up to 1200 x 1200 dpi Copy & Scan: 600 x 600 dpi	Copy & Print: Up to 600 dpi Scan: 150 dpi to 600 dpi (TWAIN up to 1200 dpi)		Copy & Print: Up to 600 dpi Scan: Up to 600 dpi (TWAIN up to 1200 dpi)
Control Panel Display	Color Touchscreen (Smart Operation Panel)	Color Touchscreen		Color Touchscreen
Paper Source	1 Roll Feeder Sheet Bypass 2nd Roll Paper Feeder (Optional)	2 Roll Paper Feeder (Standard) 2 Roll Paper Feeder (Optional*) 250 Sheets x 2 Drawer Paper Cassettes (Optional*) *Cannot be installed simultaneously		2 Roll Paper Feeder (Standard)
Scanning Speed	B&W: 3.14 ips Color: 1.05 ips	B&W: 1.67 – 13.13 ips Color: 1.97 – 7.87 ips		B&W: 3.14 ips Color: 1.05 ips
Scan-To Capabilities	Scan-to USB/SD Option, Scan-to Email/Folder, Scan-to URL, Scan-to Document Server, Scan-to FTP, Network TWAIN Scanning	Scan-to USB/SD Slot, Scan-to Email/Folder, Scan-to URL, Scan-to NCP, Scan-to Document Server, Scan-to FTP, Network TWAIN Scanning		Scan-to USB/SD Option, Scan-to Email/Folder, Scan-to URL, Scan-to NCP, Scan-to Document Server, Scan-to FTP, Scan-to Print, Network TWAIN Scanning
Media Type	Plain Paper, Recycled Paper, Inkjet Plain Paper, Tracing Paper, Matte Film, Coated Paper, Coated Paper (CAD), Special Paper	Plain Paper, Recycled Paper, Translucent Paper, Film		Plain Paper, Recycled Paper, Vellum, Film
Applications	Blueprints, Floor Plans, Schematic Drawings, Maps, Photos, Window Applications, CAD Prints	Blueprints, Flipchart Prints, Manuals/Books, Photo Drafting, Photographic Prints, Reports, CAD Drawings, Maps, Photos, Presentations, Proposals, Schematic Drawings, Signage, Training Materials, Distribution Maps		Blueprints, CAD Drawings/Designs, Maps, Photos, Presentations, Floor Plans, Technical Schematics
Max Print Area	36" W x 590" L	36" W x 590" L	36" W x 1180" L	36" W x 590" L
Media Max Thickness	0.035" (1mm)	0.04" (1mm)		0.04" (1mm)
Supported File Formats	Post Script 3, HP-GL, HP-GL2	HP-GL, HP-GL2, HP-RTL, TIFF, CALS, JPEG, PostScript, PDF, MS Office, DWG/DWF		HP-GL, HP-GL2, HP-RTL, TIFF, PostScript/PDF, CALS, MS Office, DWG/DWF
Cutting Method	Synchronized, Preset Size, Variable Cut	Synchronized, Preset Size, Variable Cut		Synchronized, Preset Size, Variable Cut
Ink Type	Pigment Based (CMYK)	Toner		Toner
Ink Color	CMYK	K (Black)		K (Black)

The content on this page, and the appearance, features and specifications of Lanier products are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Lanier makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Lanier products and services are as set forth in the express warranty statements accompanying them.